

	<p>Volantex Ranger 2000 V757-8 2000mm Wingspan EPO FPV Aircraft RC Airplane RTF</p> <table border="1"><tr><td>Price</td><td>204.52 Euro</td></tr><tr><td>Availability</td><td>Not available</td></tr><tr><td>Shipping time</td><td>24 hours</td></tr><tr><td>Producer code</td><td>757-8</td></tr><tr><td>Manufacturer</td><td>VolantexRC</td></tr></table>	Price	204.52 Euro	Availability	Not available	Shipping time	24 hours	Producer code	757-8	Manufacturer	VolantexRC
Price	204.52 Euro										
Availability	Not available										
Shipping time	24 hours										
Producer code	757-8										
Manufacturer	VolantexRC										

Product description

Volantex Ranger 2000 V757-8 2000mm Wingspan EPO FPV Aircraft RC Airplane RTF

Features:

Light weight and durable EPO wing construction.
Plug-in and click structure,easy to assemble.
Big cabin to install more equipments.



Technical specification based on the different versions:		KIT	PNP	RTF
Wingspan:	2000mm			
Overall Length:	1100mm			
Flying Weight(without battery):	-			
Prop Size:	8040 Folding Propeller			
Motor Size:	2215/1400KV powerful out runner brushless motor			
Speed Control:	Easy-Plug 20A Switch-mode BEC brushless ESC			
Servo	9-gram Servo * 6pcs			
Recommended Battery:	11.1V 1800mAh Li-Po			
Charger:	3S LiPo balancing charger, 0.5A			
Radio:	2.4Ghz 6-Channels			
Ailerons:		Yes		
Flaps:		Yes		
Minimum Age Recommendation:		14 years		
Experience Level:		Beginer ~ Expert		
Recommended Environment:		Outdoor		
Assembly Time:		Less than half hour		
Is Assembly Required:		Yes		

Description: **Included:** | **Not included:**

Volantex Ranger 2000 V757-8 2000mm Wingspan EPO FPV Aircraft RC Airplane RTF 757-8 in the shop **VolantexRC**

VOLANTEX RC

Specifications:

Technical specification based on the different versions:		KIT	PNP	RTF
Wingspan:	2000mm	✓	✓	✓
Overall Length:	1100mm	✓	✓	✓
Flying Weight(without battery):	-	✓	✓	✓
Prop Size:	8040 Folding Propeller	✓	✓	✓
Motor Size:	2215/1400KV powerful out runner brushless motor	✗	✓	✓
Speed Control:	Easy-Plug 20A Switch-mode BEC brushless ESC	✗	✓	✓
Servo	9-gram Servo * 6pcs	✗	✗	✓
Recommended Battery:	11.1V 1800mAh Li-Po	✗	✗	✓
Charger:	3S LiPo balancing charger, 0.5A	✗	✗	✓
Radio:	2.4Ghz 6-Channels	✗	✗	✓
Ailerons:		Yes		
Flaps:		Yes		
Minimum Age Recommendation:		14 years		
Experience Level:		Beginer ~ Expert		
Recommended		Outdoor		

Environment:	
Assembly Time:	Less than half hour
Is Assembly Required:	Yes